



PRODUCT NUMBER: 1017916
**2m Man. TA + MOUSQ.Gd ouv.
+MOUSQ. A VIS**

Honeywell
MILLER

Översikt

Reference Number

1017916

Product Type

Fallskydd

Range

Shock Absorbing Lanyards

Brand

Miller by Honeywell

Industry

- Industry
- Building and Construction

Product Use

Lightweight and easy to use, the elasticated Manyard® edge is ideal for maintenance on cranes or gantries.

Features & Benefits

Feature

The Manyard® edge has been tested on edge. The Manyard® edge has integrated shock absorber, integrated fall indicator and a new tubular design in green and black to identify the edge tested product. The outer jacket benefits from a TEFLON® treatment.

Benefit

Lightweight and easy to use, the elasticated Manyard® edge is ideal for maintenance on cranes or gantries. When contracted, the elasticated shock-absorbing lanyard reduces the risk of tripping or snagging. The unique woven shock-absorbing material reduces fall arrest forces. The TEFLON® treatment extends the service life of the Manyard® edge by repelling oil, dirt and water that may erode the webbing. This product passed the "sharp edge" test, thus ensuring your safety. Incorporating an energy absorber to ensure your impact force never exceeds 6kN.

Technical Description

Length

2 m

Weight

1,206

Webbing

Webbing Raw Material

polyester / width 60mm

Connector

Connector Type

TypeCS20

Connector Raw Material

Raw Materialsteel

Connector Opening

Opening18 mm

Connector Breaking Strength

Breaking Strength> 2200 daN

Connector Standard

StandardEN 362

Connector

Connector Type

TypeScaff Hook

Connector Raw Material

Raw Materialaluminium

Connector Opening

Opening63 mm

Connector Breaking Strength

Breaking Strength

Connector Standard

StandardEN 362

Certifications

EU Category PPE

0

EU Certification

EU Attestation

Ytterligare information

User Manual

NT90004208 IND L

User Information Sheet

User manual

Packaging

EAN Code

3660681042200

